



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/004,396

11/15/2001

Benjamin J. Parker

1692 (15725)

5884

33272 7590 04/20/2007
SPRINT COMMUNICATIONS COMPANY L.P.
6391 SPRINT PARKWAY
MAILSTOP: KSOPHT0101-Z2100
OVERLAND PARK, KS 66251-2100

EXAMINER

PARRA, OMAR S

ART UNIT

PAPER NUMBER

2623

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
----------------------------------------	-----------	---------------

3 MONTHS

04/20/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/004,396

Applicant(s)

PARKER ET AL.

Examiner

Omar Parra

Art Unit

2623

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12/04/2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 November 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 11/15/2001;02/10/2006.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/04/2006 has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 1-15 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laksono (Pub. No. US 2006/0080707) in view of Eames et al (hereinafter 'Eames', Patent No. 6,493,875).

Regarding claims **1 and 14**, Laksono teaches an apparatus and method for providing video content to a plurality of televisions located at a site, comprising:

a centralized gateway (**132, Fig. 10**) at a centralized gateway location (**[0249] lines 9-13 or [0002] lines 1-3**) within said site for connecting to said plurality of televisions (**26-34, Fig. 1 or [0080]**) and to a digital network supplying packet-based video content (**[0077]**) according to a plurality of selectable video feeds (**44,66,82,88,104,110,106,108,158 and 248; Fig. 10 or 11**) wherein said centralized gateway comprises;

a wide-area network interface in said centralized gateway (**Arrow representation for each of the feeds, Fig. 10,11 or 16; or as described in [0155], since the multimedia server is connected to different sources, it is inherent that a connector or interface must be provided**) for receiving network packets from said digital network (**0077**);

a processor in said centralized gateway coupled to said wide-area network interface for initiating requests for selected video feeds and for converting said received network packets into at least one compressed data stream (**control module 344, Fig. 10 or 16, which receives the video requests from clients, controls the tuners 340 for sending the desired channels to the channel mixer 342 that converts the received channels into generic data or format, as explained in [0144]-[0148] or [0203]-[0209]**);

a plurality of decoders (**Plurality of stream parsing modules 951 and MPEG decoding module 1004, Fig. 40 or [0322], [0323] and [0326]**) in said centralized gateway coupled to said processor for uncompressing a respective data stream (**[0148] or [0209]**);

at least one gateway-to-local-area network interface in said centralized gateway (**In conjunction, transceiving module 346 and processing module 345, Fig. 10**); and

an address server in said centralized gateway (**Processing module**) for assigning IP addresses, each assigned IP address corresponding to a respective one of said televisions (**[0121]**); and

a plurality of port extender modules (**client modules 134-142, Fig. 10**) located separately from said centralized gateway (**multimedia server 132, Fig. 10**), each associated with a respective television and responsive to a corresponding IP address (**Clients 26-34, Fig. 1 and 10 or [0103]**); which are able to be identified by server when requesting **[0141]-[0142]** or being addressed to when receiving **[0121]**), wherein said television signals are not processed by said port extender modules, and wherein each port extender module comprises (**Given that video data is converted to a generic format –RGB and YCBCR digital format, [0166]- from other formats such as MPEG –[0326]-, the client module does not need to further decode the video data as indicated on Fig. 54, steps 1250-1258**);

at least one peripheral device interface (**[0362]**) in said port extender module for connecting to a peripheral user device providing user data, said user

Art Unit: 2623

data including selection data to be provided to said processor to identify selected video feeds for said requests ([0118], [0141] or 1196 and 1194 in Fig. 51);

a local-area network interface in said port extender module coupled to said gateway-to-local-area network interface (**Network interface controller 330, Fig. 10**); and

a protocol encapsulation processor in said port extender module for transporting said user data to said local-area network interface which forwards said user data to said processor in said centralized gateway (**364, Fig. 11 or 1122, Fig. 52 –[0158] or [0371]-, where the user data is sent to server as shown in Fig.55 and 56**).

On the other hand, although Laksono teaches that the server generates television signals usable by said televisions without further processing (**Given that video data is converted to a generic format –RGB and YCBCR digital format, [0166]- from other formats such as MPEG –[0326]-, the client module does not need to further decode the video data as indicated on Fig. 54, steps 1250-1258**), Laksono does not explicitly teach having a plurality of television adapters in said centralized gateway coupled to said decoders and each adapter to be coupled to one of said televisions.

However, in an analogous art, Eames teaches an in-home network that possesses a gateway 200 (Fig. 3, col. 4 lines 41-57) that includes MPEG modules 450, which convert MPEG signals into usable signals for regular TV sets (col. 5 lines 37-50).

Art Unit: 2623

In order to connect directly to the televisions, S-video adapters or interfaces 474 are provided at gateway 200 (col. 5 lines 15-17).

Therefore, it would have been obvious to an ordinary skilled in the art to modify Laksono's invention to include Eames' adapters at the gateway for the benefit of not using a client module, especially if the TV set is in the same room as the gateway, and consequently saving the user the money of its cost.

Regarding claim 2, the combined teachings of Laksono and Eames teach having the port extenders proximate to its respective televisions (**Laksono, Clients 14-22, Fig. 1; or 134-142, Fig. 6 and televisions or clients 26-34, Fig. 1 and 6**).

Regarding claim 3, the combined teachings of Laksono and Eames teach having the apparatus further comprising a wireless communication link between said gateway-to-local area network interface and said local-area network interface (**Laksono, [0241] or 192 Fig. 21**).

Regarding claim 4, the combined teachings of Laksono and Eames teach that wherein said gateway-to-local area network interface and said local-area network interface are comprised of respective transceivers coupled together via a cable carrying said television signals (**Laksono, Transceiving module 346 at the server, Fig. 10 and Network interface controller 1166 at the client module, Fig. 51**).

Art Unit: 2623

Regarding claim 5, the combined teachings of Laksono and Eames teach having an apparatus further comprising a network UTP cable connected between said gateway-to-local area network interface and said local-area network interface **(Laksono, [0237] or 192 Fig. 20)**.

Regarding claim 6, the combined teachings of Laksono and Eames teach wherein said peripheral device interface includes a remote control interface for receiving said selection data from a remote control device **(Laksono, [0141]-[0142])**.

Regarding claim 7, the combined teachings of Laksono and Eames teach wherein said gateway includes a storage media containing a compressed video file, and wherein said selection data can further select viewing of said video file at said respective television **(Laksono, [0153])**.

Regarding claim 8, the combined teachings of Laksono and Eames teach an apparatus wherein said processor determines whether selection data from one port extender module is equivalent to selection data from another port extender module and, if they are equivalent, provides a corresponding video feed to both televisions corresponding to said one and another port extenders **(Laksono, [0084])**.

Regarding claim 9, the combined teachings of Laksono and Eames teach an apparatus wherein said peripheral device interface includes a serial bus interface **(Laksono, 'Serial Port', [0362] line 7).**

Regarding claim 10, the combined teachings of Laksono and Eames teach an apparatus wherein said peripheral device interface includes a game-port interface **(Laksono, '...universal serial bus (USB)...', [0362] line 6).**

Regarding claim 11, the combined teachings of Laksono and Eames teach an apparatus wherein said peripheral device interface includes a keyboard interface **(Laksono, [0118]).**

Regarding claim 12, the combined teachings of Laksono and Eames teach an apparatus wherein said television adapters comprise outputs for connecting to a standard television coaxial cable **(Given that the communication link can be coaxial cable -[0237] line 11-, and adapter or interface must be provided at the gateway).**

Regarding claim 13, the combined teachings of Laksono and Eames teach an apparatus wherein said centralized gateway includes a plurality of gateway-to-local-area network interfaces, each connected to a respective one of said port extender modules **(Transceiving module 690 and Transceiving module 154,208,246,286&/or 346 in Fig. 23).**

Regarding claim 15, the combined teachings of Laksono and Eames teach a method further comprising the steps of:

said second port extender module communicating with a second remote control **(Any of the client modules is related to a remote control, [01414])** for identifying a second selected video feed **(A plurality of request are sent to the server from the different client modules -[0157] lines 1-4-);**

said second port extender module sending selection data to said centralized gateway in response to said second selected video feed, said selection data including said second IP address**([0142]-[0143]);**

said centralized gateway comparing said first selected video feed and said second selected video feed;

if said first and second selected videos feeds are the same, then said centralized gateway coupling said first television signal to said first and second television adapters simultaneously; and

if said first and second selected videos feeds are not the same, then said centralized gateway retrieving said second selected video feed from said digital network and generating a corresponding second television signal at said second television adapter, wherein said centralized gateway identifies said second television adapter in response to said second IP address **([0082] and [0084]).**

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure as indicated below:

Pertinent Art	Reasons to be pertinent
Eames et al (Patent No. 6,317,884)	Discloses a home network with a gateway distributing services.
Edson (Pub. No. 2003/0101459)	Discloses a home network with a gateway distributing services.
Lo (Patent No. 7,167,923)	Gateway in a home network that uses IP addresses for identifying devices.
Goodman (Patent No. 6,192,399)	Home networking using twisted pair communication.
Frank et al. (Patent No. 6,026,150)	Gateway in a home network that uses IP addresses for identifying devices.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Omar Parra whose telephone number is 571-270-1449.


The examiner can normally be reached on Under Academy Schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Grant can be reached on 571-272-7294. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

OP



CHRISTOPHER GRANT
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600